





THE BIARRITZ RANGE
TECHNICAL SPECIFICATIONS

EGS BIARRITZ





MODEL WITH TENSIONING SYSTEM FASTENED TO THE WALL BY MEANS OF AISI 316 STAINLESS STEEL BRACKETS



EGS BIARRITZ - DIMENSIONS




MAX DIMENSIONS			
	A	B	AREA
	300	300	4.5
	350	300	5.3
	400	300	6
	400	400	8
	500	400	10
	500	500	12.5
	600	500	15
	600	600	18

Bespoke units can be manufactured at special dimensions so as to enable a precise fit to any space.

Size is no problem – we can build what you need.


EGS BIARRITZ



TYPE Shade sail for the garden	MATERIALS • Aluminum • Stainless steel • Dacron	GROUND ANCHORING • Welded plate	STRUCTURE'S VERSIONS • Tensioning system attached to the wall
1 STRUCTURE'S COLOURS  Brushed stainless steel AISI 316 - Smooth or textured matt finish	2 ROOF'S MATERIALS AND COLOURS  White  Beige • Dacron - More colours available upon request		

EGS BIARRITZ - OPTIONALS

GLASS WALL - SLIDING GLASS WINDBREAK



STRUCTURE'S COLOURS



WHITE



RAL 9006



RAL 9011 Mat





T 07917 373931 **E** david@gardenspaceltd.co.uk