



SKYROOF

BIOCLIMATIC  
PERGOLAS



EVENT  
GARDEN SPACE LTD.

Spaces to live for





Your Outdoor Living Areas





Greet Deep Forces of Nature  
with Peace of Mind



## INDEX



PRESTIGE 10



PLUS & COMPACT 28

P P C  
PRESTIGE PLUS COMPACT

### SKYROOF SERIES

Get over the limits and meet the Skyroof family. You can choose Skyroof to suit your needs and desires with unlimited personalization.





# SKYROOF PRESTIGE

## SERIES

12

Prestige

## FEATURES

14

Panel Movement

16

Integrated Panel Gutter

18

Climate Control

19

Venilation Mode

20

Multi - Sealing System

## OPTIONS & DETAILS

42

Lighting Options

44

Control & Automation

46

Side Cover Options

48

Colour Options

50

Integrated Beam & Drainage System

52

Modularity

53

Application Types





# SKYROOF PRESTIGE

With its innovative  
sense of comfort, it  
allows you to retract  
to fully feel the sky.


## MAX DIMENSIONS

Projection* (freestanding)	691,3 cm
Width	400 cm
Snow Load (max)	268 kg/m <sup>2</sup>
Max. Open Space	%79


*\*2,8 cm bracket width needs to be added for wall mounted installation.*

## OPTIONS


Lighting	Perimeter Lighting (only)
Panels	Insulated
Colour	Dual Colour



Integrated  
Beam




Panel



Pillar

Skyroof Prestige manufactured with four pillars up to a projection measure of 579,9 cm. Above this, one more pillar needs to be added for each of projection sides. The projection measure changes in multiples of 27,9 cm.

## PANEL MOVEMENT



### Retraction Movement


The retractable ceiling of Skyroof Prestige provides an open roof space of %79 of the total covered area, due to the synchronised movement of the creatively designed panels.



### Synchronized Panel Movement

This special synchronized movement is the newest technological system, allowing simultaneous retraction of all panels.






## INTEGRATED PANEL GUTTER


### Stay Clean

The elliptical chamber on the top side of the panel prevents the accumulated materials falling into your indoor space during the panel rotation.






### Internal Panel Inclination

A 8.75% internal inclination on the top of the panels ensures perfect drainage by preventing water accumulation on the system.



## CLIMATE CONTROL



Insulated

### Insulated Panels

Panels can be filled with Polyurethane Foam which provides extra comfort. It significantly helps to reduce condensation.




Standard

### Air Tunnels

The panel structure provides certain level of insulation.

## VENTILATION MODE




'MY' button on your remote control allows you to refresh the air with a single touch and provide fresh air in to the room ; while "Connexoon" feature supports creating your own ventilation scenario via your smartphones.



## MULTI-SEALING SYSTEM

Synchronized moving panels simultaneously presses the gaskets located on the integrated beams and thus ensure maximum insulation during the closing movement.

Base  
Gasket



## Panel Interlock

Thanks to the synchronous closing movement of the panels, the gaskets on the panels are clamped together at the same time and a complete insulation is provided between the panels.

# SKYROOF PLUS & COMPACT

## SERIES

24  
Plus

26  
Compact

## FEATURES

28  
Panel Rotation

30  
Integrated Panel Gutter

32  
Climate Control

34  
Multi Sealing System

36  
High Pressure Closing Function

## OPTIONS & DETAILS

42  
Lighting Options

44  
Control & Automation

46  
Side Cover Options

48  
Colour Options

50  
Integrated Beam & Drainage System

52  
Modularity

53  
Application Types



# SKYROOF PLUS

The Plus series are perfect choice in all weather conditions. It's strong, it's powerful, it's multifunctional, it's modular to cover large areas.




## MAX DIMENSIONS

Projection* (freestanding)	799 cm
Width	450 cm
Snow Load (max)	336 kg/m <sup>2</sup>


\*2,8 cm bracket width needs to be added for wall mounted installation.

## OPTIONS


Lighting	Linear Lighting Perimeter Lighting
Panels	Insulated
Colour	Dual Colour



Integrated Beam



Panel



Pillar

The Plus series is manufactured with four pillars up to a projection measure of 587,5 cm. Above this, one more pillar needs to be added for each of projection sides. The projection measure changes in multiples of 17,6 cm for both series.



# SKYROOF COMPACT

Created  
for those  
who desire  
minimalism.



## MAX DIMENSIONS

**Projection\*** (freestanding) 512,3 cm

**Width** 350 cm


**Snow Load (max)** 203 kg/m<sup>2</sup>

\*2,8 cm bracket width needs to be added for wall mounted installation.

## OPTIONS

**Lighting** Perimeter Lighting (only)

**Colour** Dual Colour




The projection measure changes in multiples of 17,6 cm.






## INNOVATIVE PANEL ROTATION




The motorized roof consists of rotatable aluminium panels. Palmiye's revolutionary design allows the panels at any angle up to 120 degrees seamlessly manner.



### End-Point-Centered Rotation


This special rotating technology with its distinguished features provides many advantages like integrity, stability and sealing by means of end-point-centered operating structure and high pressured power system.



## INTEGRATED PANEL GUTTER

### Stay Clean

The elliptical chamber on top side of the panel prevents the accumulated materials falling into your indoor space during the panel rotation.







## CLIMATE CONTROL

### Insulated Panels


Panels can be filled with Polyurethane Foam which provides extra comfort. It significantly helps to reduce condensation.



Standard




Insulated




## MULTI-SEALING SYSTEM

Powered by a linear actuator and sealed with high quality gasket plugs, providing a completely airtight space which can be used in all weather conditions.

Base  
Gasket



Central  
Gasket



Upper  
Gasket

## Air Tunnels

The panel structure provides heat and sound insulation and reduces condensation levels due to the thermal break.



## HIGH PRESSURE CLOSING FUNCTION

Songs of power of the plane flaps  
come alive with Skyroof. Linear  
actuator system provides you to  
isolate your spaces against severe  
weather.












OPTIONS/  
DETAILS



## LIGHTING OPTIONS


Integrated lighting  
systems can be  
dimmed to create the  
perfect ambiance.

### PERIMETER LIGHTING



- › LED strips are integrated into the gutter profile.
- › Available on all series.

### LINEAR LIGHTING



- › LED lightings are modules are positioned into the blades.
- › Plus series only.



## CONTROL & AUTOMATION



## CONNEXOON

Designed to easily control your product wherever you are in the world, despite the weather changes you can remotely activate your products accordingly.

Compatible with iOS and Android smartphone systems. You can assign multiple functions through created scenarios, you can give a one-touch command.



A \*



B



C



D



E

**A Telis 1 - Pure** Elegant design that allows you to easily control your product.

\* The standard control unity.

**B Telis 1 - Lounge** Elegant design with black color.

**C Telis 1 - Patio** IP 66 water-proof feature for outdoor use.

**D** 16-channel ergonomic design that allows you to control all functions at the same time from one control. By digital screen feature you can control different products with a symbol and a number given for different products.

**E** Functional design that allows the adjustment of the illuminations to the desired level with the Roller feature.



### MULTI CHANNEL OPTIONS

Telis 1 is remote control with 1 channel, while the Telis 4 has got 5 channels. Telis 4 option is available for Pure, Lounge, Patio, RTS Lounge Roller and RTS Pure Roller.



## SIDE COVER OPTIONS

For environmental protection or to create outdoor living areas used throughout four seasons, Skyroof sides can be covered by glass, vertical blinds, and aluminium panels.



Blinds and Awnings



Louvers



Glass Systems






## COLOUR OPTIONS

Choose your colour or  
colour combinations (dual  
colour). We coat our profiles  
with electrostatic powder  
paint using advanced  
Nanotechnology.

## Colour Combinations

Panels can be painted with different colours than the main structure.



P R E S T I G E

P L U S & C O M P A C T





## INTEGRATED BEAM & DRAINAGE SYSTEM



The integrated beam is the main carcass of the whole Skyroof system. All loads are shared equally to its structure. It also features as integrated gutter for drainage system.

### Distribution Pieces

The distribution pieces route and accelerate the water through the pillars.

### Water Blocking Barrier

The barrier blocks water to run inside the air tunnels.



### Integrated Drainage System

The hidden section of the drainage system is ingeniously integrated.



Specially designed aluminum panels guide the water through integrated gutters on all sides.




Water evacuates from the pillar.




## MODULARITY

SKYROOF offers a wide variety of modular construction possibilities by means of its flexible and compact structural design.


2 MODULES



4 MODULES



2-Module-Connector




4-Module-Connector




## APPLICATION TYPES

FREESTANDING



WALL MOUNTED































































#### 5-YEAR WARRANTY

All our products have up  
to 5 years guarantee for the  
construction and motor.  
The electronics and  
remote controls are  
guaranteed for





Event Garden Space Ltd. Wagon Yard,  
London Road, Marlborough, Wiltshire SN8 1LH  
T 07917 373931 E [david@event-exhibition.co.uk](mailto:david@event-exhibition.co.uk)